Table of contents

Aarts, HJM, van der Hulst-van Arkel, MC, Leenstra, FR: Different endogenous viral loci in Cornish and White Plymouth rock chickens 325
Abe, K → Konishi, T
Abidin, PE → Jacobsen, E
Adolf, K → Steinborn, R
Aldrich, PR, Doebley, J: Restriction fragment variation in the nuclear and chloroplast genomes of cultivated and wild *Sorghum bicolor* 293
Aldrich, PR, Doebley, J, Schertz, KF, Stec, A: Patterns of allozyme variation in cultivated and wild *Sorghum bicolor* 451
Allot, M → Daunay, MC
Almouslem, AB → Tilney-Bassett, RAE
Alonso-Blanco, C, Goicoechea, PG, Roca, A, Giraldez, R: A cytogenetic map on the entire length of rye chromosome 1R, including one translocation breakpoint, three isozyme loci and four C-bands 735
Amoatey, HM → Tilney-Bassett, RAE
An, Z-q, Liu, J-S, Siegel, MR, Bunge, G, Schardl, CL: Diversity and origins of endophytic fungal symbionts of the North American grass *Festuca arizonica* 366
Appels, R → Reddy, P
Arens, P → Vosman, B
Armstrong, K → Kim, N-S
Arnholdt-Schmitt, B: Rapid changes in amplification and methylation pattern of genomic DNA in cultured carrot root explants (*Daucus carota* L.) 793
Atkinson, MD → Devos, KM
Aung, T → Masojć, P
Aviv, D → Perl, A
Ayliffe, MA, Timmis, JN: Tobacco nuclear DNA contains long tracts of homology to chloroplast DNA 229

Bahrman, N → Gerber, S
Baradat, Ph → Gerber, S
Barker, JSF → Thomas, RH
Basford, KE → Bull, JK
Bázquez, JF → Orellana, J
Beavis, W → Keim, P
Beer, SC → Goffreda, JC
Beiles, A → Nevo, E
Bergervoet, JEM → Jacobsen, E
Bernardo, R: Estimation of coefficient of coancestry using molecular Markers in maize 1055
Bietz, JA → Paulis, JW
Björklund, T → Engström, G
Boblenz, K → Schmidt, T
Bogyo, TP → Paulis, JW
Bonnel, E → Gebhardt, C
Borisjuk, L → Schweizer, G
Borisjuk, N → Schweizer, G
Börner, A → Plaschke, J
Börner, T → Steinborn, R
Bougri, OV → Rechinger, KB
Bousquet, J → Roy, A
Bramel-Cox, PJ → Zavala-Garcia, F
Bruederle, LP → Oritz, R
Bull, JK, Basford, KE, DeLacy, IH, Cooper, M: Classifying genotypic data from plant breeding trials: a preliminary investigation using repeated checks 461
Bunge, G → An, Z-q
Burnquist, WB → Goffreda, JC
Byrne, P → Crossa, J

Caboche, M → Rousselin, P
Caha, CA → Lee, DJ
Cameron, DF → Kazan, K
Cameron-Mills, V → Rechinger, KB
Cap, GB, Roberts, PA, Thomason, IJ: Inheritance of heat-stable resistance to *Meloidogyne incognita* in *Lycopersicon peruvianum* and its relationship to the *Mi* gene 777
Carrillo, JM → Orellana, J
Cattivelli, L → Pecchioni, N
Cavallini, A → Natali, L
Chaput, MH → Daunay, MC
Chatterjee, SN, Datta, RK: Hierarchical clustering of 54 races and strains of the mulberry silkworm, *Bombyx mori* L: Significance of biochemical parameters 394
Chinoy, CN → Devos, KM
Chinoy, CN → Millan, T
Chong, J → Penner, GA
Cionini, G → Natali, L
Cionini, PG → Natali, L
Cooper, M → Bull, JK
Cornelius, PL → Crossa, J
Corre, F → Morère-Le Paven, MC
Courtois, B: Comparison of single seed descent and anther culture-derived lines of three single crosses of rice 625
Crossa, J, Cornelius, PL, Seyedsadr, M, Byrne, P: A shifted multiplicative model cluster analysis for grouping environments without genotypic rank change 577
Cross, RJ, Fautrier, AG, McNeil, DL: IBPGR morphological descriptors – their relevance in determining patterns within a diverse spring barley germplasm collection 489
Cuguen, J → Saumitou-Laprade, P
Cuñado, N: Analysis of metaphase I chromosome association in species of the genus *Aegilops* 283
Cuñado, N: Genomic analysis in the genus *Aegilops*. 3. Intergeneric hybrids between different species of *Aegilops* and *Secale cereale* 309
Curnow, RN → Martínez, O

Darrah, LL → Paulis, JW
Darvasi, A, Soller, M: Selective genotyping for determination of linkage between a marker locus and a quantitative trait locus 353
Dasgupta, T → Singh, O
Datta, RK → Chatterjee, SN
Daunay, MC, Chaput, MH, Sihachakr, D, Allot, M, Vedel, F, Ducreux, G: Production and characterization of fertile somatic hybrids of eggplant (*Solanum melongena* L.) with *Solanum aethiopicum* L. 841
De Buyser, J → Morère-Le Paven, MC
DeLacy, IH → Bull, JK
de Looff, J → Jacobsen, E
Delourme, R, Eber, F: Linkage between an isozyme marker and a restorer gene in radish cytoplasmic male sterility of rapeseed (*Brassica napus* L.) 222
Delorme, RM, Skorupska, HT: $NADP^+$ glyceraldehyde-3-phosphate dehydrogenase in soybeans [*Glycine max* (L.) Merr.]: genetics and developmental expression 851
Devine, TE → Weisemann, JM
Devine, TE, Weisemann, JM, Matthews, BF: Linkage of the *Fr2* locus controlling soybean root fluorescence and four loci detected by RFLP markers 921
Devos, KM, Atkinson, MD, Chinoy, CN, Lloyd, JC, Raines, CA, Dyer, TA, Gale, MD: The coding sequence for sedoheptulose-1,7-bisphosphatase detects multiple homologues in wheat genomic DNA 133
Devos, KM, Atkinson, MD, Chinoy, CN, Francis, HA, Harcourt, RL, Koebner, RMD, Liu, CJ, Masojć P, Xie, DX, Gale, MD: Chromosomal rearrangements in the rye genome relative to that of wheat 673
Devos, KM, Gale, MD: Extended genetic maps of the homoeologous group 3 chromosomes of wheat, rye and barely 649
Devos, KM → Millan, T
Devos, KM, Millan, T, Gale, MD: Comparative RFLP maps of the homoeologous group-2 chromosomes of wheat, rye and barley 784
Dobosz, S → Flajšhans, M
Doebley, J → Aldrich, PR
Doležel, J → Lucretti, S
Douches, DS → Haynes, KG
Ducreux, G → Daunay, MC
Dudley, JW: Theory for identification of marker locus-QTL associations in population by line crosses 101
Dunckley, R → Xu, YS
Durante, M → Natali, L
Dweikat, I, Mackenzie, S, Levy, M, Ohm, H: Pedigree assessment using RAPD-DGGE in cereal crop species 497
Dyer, TA → Devos, KM

Earle, ED → Walters, TW
Eastin, JD → Zavala-Garcia, F

Eber, F → Delourme, R
Ellis, JG, Finnegan, EJ, Lawrence, GJ: Developing a transposon tagging system to isolate rust-resistance genes from flax 46
Ellis, RP → Hackett, CA
Engström, G, Liljedahl, L-E, Björklund, T: Expression of genetic and environmental variation during ageing. 2. Selection for increased lifespan in *Drosophila melanogaster* 26
Eriksson, G → Namkoong, G
Eriksson, T → Waara, S
Etoh, T → Ohsumi, C

Fautrier, AG → Cross, RJ
Fedak, G → Penner, GA
Fernández-Calvín, B → Orellana, J
Fernández-Calvín, B, Orellana, J: Metaphase-I bound-arm frequency and genome analysis in wheat-*Aegilops* hybrids. 2. Cytogenetical evidence for excluding *Ae. sharonensis* as the donor of the B genome of polyploid wheats 587
Ferwerda, MA → Pijnacker, LP
Ferwerda, MA → Waara, S
Finckh, MR, Mundt, ChC: Effects of stripe rust on the evolution of genetically diverse wheat populations 809
Finnegan, EJ → Ellis, JG
Fischbeck, G → Jahoor, A
Flajšhans, M, Rába, P, Dobosz, S: Frequency analyses of active NORs in nuclei or artificially induced triploid fishes 68
Fleuriet, A, Sperlich, D: Evolution of the *Drosophila melanogaster*-sigma virus system in a natural population from Tübingen 186
Forster, BP → Hackett, CA
Fortin, MG → Tinker, NA
Fotouhi, N, Karatzas, CN, Kuhnlein, U, Zadworny, D: Identification of growth hormone DNA polymorphisms which respond to divergent selection for abdominal fat content in chickens 931
Francis, HA → Devos, KM
Frascaria, N → Roy, A
Frederiks, HJ → Lelivelt, CLC
Frederiksen, RA → Tenkouano, A
Freestone, R → Keim, P
Frei, U → Thach, NQ
Frew, TJ → Timmerman, GM
Fuchs, J → Lucretti, S
Fujishita, M → Kamisugi, Y
Fukui, K → Kamisugi, Y
Furuta, Y → Nevo, E

Gahl, G → Schmidt, T
Gale, MD → Devos, KM
Gale, MD → Masojć, P
Gale, MD → Millan, T
Gale, MD → Plaschke, J
Galiba, G, Simon-Sarkadi, L, Kocsy, G, Salgo, A, Sutka, J, Possible chromosomal location of genes determining the osmoregulation of wheat 415
Galili, S → Perl, A
Galun, E → Perl, A
Garcia-Vázquez, E, Morán, P, Pendás, AM, Linde, AR, Izquierdo, JI: Studies in individual spawnings of *Salmo salar*: a model to explain chromosome polymorphism patterns 61
Gebhardt, C, Mugniery, D, Ritter, E, Salamini, F, Bonnel, E: Identification of RFLP markers closely linked to the *H1* gene conferring resistance to *Globodera rostochiensis* in potato 541
Gepts, P → Nodari, RO
Gerber, S, Rodolphe, F, Bahrman, N, Baradat, Ph: Seed-protein variation in maritime pine (*Pinus pinaster* Ait.) revealed by two-dimensional electrophoresis: genetic determinism and construction of a linkage map 521
Gessler, C → Koller, B
Giese, H, Holm-Jensen, AG, Jensen, HP, Jensen, J: Localization of the Laevigatum powdery mildew resistance gene to barley chromosome 2 by the use of RFLP markers 897
Gilbertson, RL → Nodari, RO
Gill, BS → Ma, Z-Q
Giraldez, R → Alonso-Blanco, C
Goffreda, JC, Burnquist, WB, Beer, SC, Tanksley, SD, Sorrells, ME: Application of molecular markers to assess genetic relationships among accessions of wild oat, *Avena sterilis* 146
Goicoechea, PG → Alonso-Blanco, C
Gonokami, Y → Nevo, E
Gowda, CLL → Singh, O
Graef, GL → Lee, DJ
Gupta, RB, Shepherd, KW: Production of multiple wheat-rye 1RS translocation stocks and genetic analysis of LMW subunits of glutenin and gliadins in wheats using these stocks 719

Hackett, CA, Ellis, RP, Forster, BP, McNicol, JW, Macaulay, M: Statistical analysis of a linkage experiment in barley involving quantitative trait loci for height and ear-emergence time and two genetic markers on chromosome 4 120
Halldén, C, Lind, C, Møller, IM, Variation in mitochondrial translation products in fertile and cytoplasmic male-sterile sugar beets 139
Hanna, WW → Ozias-Akins, P
Harcourt, RL → Devos, KM
Hartmann, C → Morère-Le Paven, MC
Hayashi, T → Ohsumi, C
Haynes, KG, Douches, DS: Estimation of the coefficient of double reduction in the cultivated tetraploid potato 857
Heath, R → Holloway, PJ
Helentjaris, T → Heun, M
Helsper, JPFG → Lelivelt, CLC
Hemleben, V → Schweizer, G
Henry, Y → Morère-Le Paven, MC
Hensen, J → Giese, H
Heun, M, Helentjaris, T: Inheritance of RAPDs in F_1 hybrids of corn 961
Hinata, K → Ohsumi, C
Hoeschele, I, VanRaden, PM: Bayesian analysis of linkage between genetic markers and quantitative trait loci. II. Combining prior knowledge with experimental evidence 946
Hoeschele, I, VanRaden, PM: Bayesian analysis of linkage between genetic markers and quantitative trait loci. I. Prior knowledge 953
Holloway, PJ, Heath, R: Identification of polypeptide markers of barley yellow dwarf virus resistance and susceptibility genes in non-infected barley (*Hordeum vulgare*) plants 346
Holm-Jensen, AG → Giese, H
Howes, NK → Masojć, P
Huestis, GM, McGrath, JM, Quiros, CF: Development of genetic markers in celery based on restriction fragment length polymorphisms 889
Hu Han → Wang Yibing
Huigen, DJ → Jacobsen, E
Hunt, GJ, Page, Jr, RE: Patterns of inheritance with RAPD molecular markers reveal novel types of polymorphism in the honey bee 15
Hymowitz, T → Singh, RJ

Izquierdo, JI → Garcia-Vázquez, E

Jacobi, A → Jahoor, A
Jacobs, M → Oleo, M
Jacobsen, E, Reinhout, P, Bergervoet, JEM, de Looff, J, Abidin, PE, Huigen, DJ, Ramanna, MS: Isolation and characterization of potato-tomato somatic hybrids using an amylose-free potato mutant as parental genotype 159
Jahoor, A, Jacobi, A, Schüller, CME, Fischbeck, G: Genetical and RFLP studies at the *Mla* locus conferring powdery mildew resistance in barley 713
Jansen, RC: A general mixture model for mapping quantitative trait loci by using molecular markers 252
Jensen, HP → Giese, H
Jensen, J → Giese, H
Jermyn, WA → Timmerman, GM
Jones, MGK → Xu, YS
Jonsson, A → Namkoong, G
Jui, PY, Lefkovitch, LP: Selecting the size of a diallel cross experiment 21

Kaemmer, D → Schmidt, T
Kahl, G → Poulsen, GB
Kahl, G → Schmidt, T
Kamisugi, Y, Sakai, F, Minezawa, M, Fujishita, M, Fukui, K: Recovery of

dissected C-band regions in *Crepis* chromosomes 825
Karatzas, CN → Fotouhi, N
Karp, A → Xu, YS
Kazan, K, Manners, JM, Cameron, DF: Genetic variation in agronomically important species of *Stylosanthes* determined using random amplified polymorphic DNA markers 882
Keim, P, Beavis, W, Schupp, J, Freestone, R: Evaluation of soybean RFLP marker diversity in adapted germ plasm 205
Kelly, JD → Miklas, PN
Kennedy, BW → Villanueva, B
Kilian, A, Kleinhofs, A, Warner, RL: Localization of NAD(P)H-bispecific nitrate reductase genes to chromosomes of barley, rye, wheat and *Aegilops numbellulata* 274
Kim, N-S, Armstrong, K, Knott, DR: Molecular detection of *Lophopyrum* chromation in wheat-*Lophopyrum* recombinants and their use in the physical mapping of chromosome 7D 561
Kinghorn, BP → Shepherd, RK
Kleinhofs, A → Kilian, A
Knott, DR → Kim, N-S
Kocsy, G → Galiba, G
Koebner, RMD → Devos, KM
Koebner, RMD → Plaschke, J
Kojima, A → Ohsumi, C
Koller, B, Lehmann, A, McDermott, JM, Gessler, C: Identification of apple cultivars using RAPD markers 901
Kollipara, KP → Singh RJ
Konishi, T, Yano, Y, Abe, K: Geographic distribution of alleles at the *Ga2* locus for segregation distortion in barley 419
Kraepiel, Y → Rousselin, P
Kremer, A: Predictions of age-age correlations of total height based on serial correlations between height increments in Maritime pine (*Pinus pinaster* Ait.) 152
Krens, FA → Lelivelt, CLC
Krens, FA → Saumitou-Laprade, P
Kresovich, S, Williams, JGK, McFerson, JR, Routman, EJ, Schaal, BA: Characterization of genetic identities and relationships of *Brassica oleracea* L. via a random amplified polymorphic DNA assay 190
Kuhnlein, U → Fotouhi, N
Kumar, J → Singh, O

Lal, RK → Sharma, JR
Lambert, C, Tepfer, D: Use of *Agrobacterium rhizogenes* to create transgenic apple trees having an altered organogenetic response to hormones 105
Langridge, P → Rogowsky, PM
Laverty, T → Ortiz, R
Lawrence, GJ → Ellis, JG
Lazzeri, PA → Wang, X-H
Leach, CR, Renfrey, ACP, Mayo, O: Quantitatively determined self-incompatibility. IV. Pollination and seed set in *Borago officinalis* 755
Lee, DJ, Caha, CA, Specht, JE, Graef, GL: Chloroplast DNA evidence for non-random selection of females in an outcrossed population of soybeans [*Glycine max* (L.)] 261
Leenstra, FR → Aarts, HJM
Lefkovitch, LP → Jui, PY
Lehmann, A → Koller, B
Lelivelt, CLC, Leunissen, EHM, Frederiks, HJ, Helsper, JPFG, Krens, FA: Transfer of resistance to the beet cyst nematode (*Heterodera schachtii* Schm.) from *Sinapis alba* L. (white mustard) to the *Brassica napus* L. gene pool by means of sexual and somatic hybridization 688
Lemme, C → Stiles, JI
Leunissen, EHM → Lelivelt, CLC
Lévesque-Lemay, M → Penner, GA
Levy, M → Dweikat, I
Liljedahl, L-E → Engström, G
Lind, C → Halldén, C
Linde, AR → García-Vázquez, E
Litts, JL → Millan, T
Liu, CJ → Devos, KM
Liu, J-S → An, Z-q
Lloyd, JC → Devos, KM
Lörz, H → Wang, X-H
Lu, J, Pickersgill, B: Isozyme variation and species relationships in peanut and its wild relatives (*Arachis* L. – Leguminosae) 550
Lubbers, EL → Ozias-Akins, P
Lucretti, S., Doležel, J, Schubert, I, Fuchs, J: Flow karyotyping and sorting of *Vicia faba* chromosomes 665

Ma, Z-Q, Gill, BS, Sorrells, ME, Tanksley, SD: RFLP markers linked to two Hessian fly resistance genes in wheat (*Triticum aestivum* L.) from *Triticum tauschii* (coss.) Schmal. 750
Macaulay, M → Hackett, CA
MacKay, J → Roy, A
Mackenzie, S → Dweikat, I
Mackill, DJ, Salam, MA, Wang, ZY, Tanksley, SD: A major photoperiod-sensitivity gene tagged with *RFLP* and isozyme markers in rice 536
Maldiney, R → Rousselin, P
Malkin, S → Perl, A
Manners, JM → Kazan, K
Manshardt, R → Stiles, JI
Mao, IL → Sehested, E
Marais, GF: The modification of a common wheat-*Thinopyrum distichum* translocated chromosome with a locus homoeoallelic to *Lr19* 73
Mariani, A, Tavoletti, S, Veronesi, F: Abnormal macrosporogenesis in five alfalfa (*Medicago sativa*) mutants producing 4n pollen 873
Martin, A → Torres, AM
Martinez, O, Curnow, RN: Estimating the locations and the sizes of the effects of quantitative trait loci using flanking markers 480
Masojć, P → Devos, KM
Masojć, P, Zawistowski, J, Howes, NK, Aung, T, Gale, MD: Polymorphism and chromosomal location of endogenous α-amylase inhibitor genes in common wheat 1043
Mattheij, WM → Pijnacker, LP
Matthews, BF → Devine, TE
Mathews, BF → Weisemann, JM
Mather, DE → Tinker, NA
Mayo, O → Leach, CR
McDermott, JM → Koller, B
McFerson, JR → Kresovich, S
McGrath, JM → Huestis, GM
McNay, JW → Ozias-Akins, P
McNeil, DL → Cross, RJ
McNicol, JW → Hackett, CA
Melz, G, Schlegel, R, Thiele, V: Genetic linkage map of rye (*Secale cereale* L.) 33
Melz, G → Steinborn, R
Metlzlaff, M → Schmidt, T
Meyer, R, Salamini, F, Uhrig, H: Isolation and characterization of potato diploid clones generating a high frequency of monohaploid or homozygous diploid androgenetic plants 905
Michaelis, G → Saumitou-Laprade, P
Mjchelmore, RW → Paran, I
Miginiac, E → Rousselin, P
Miklas, PN, Stavely, JR, Kelly, JD: Identification and potential use of a molecular marker for rust resistance in common bean 745
Millan, T, Devos, KM, Chinoy, CN, Litts, JL, Quatrano, RS, Gale, MD: Chromosomal location and RFLP utility in wheat and barley of a wheat gene with homology to a 7*S* storage-globulin sequence 387
Millan, T → Devos, KM
Miller, AL → Timmerman, GM
Miller, FR → Tenkouano, A
Minezawa, M → Kamisugi, Y
Mishra, HO → Sharma, JR
Miura, H, Parker, BB, Snape, JW: The location of major genes and associated quantitative trait loci on chromosome arm 5BL of wheat 197
Molnar, SJ → Penner, GA
Møller, IM → Halldén, C
Morán, P → García-Vázquez, E
Moreno-Gonzalez, J: Estimates of marker-associated QTL effects in Monte Carlo backcross generations using multiple regression 423
Moreno-Gonzalez, J: Genetic models to estimate additive and non-additive effects of marker-associated QTL using multiple regression techniques 435
Morère-Le Paven, MC, Henry, Y, De Buyser, J, Corre, F, Hartmann, C, Rode A: Organ/tissue-specific changes in the mitochondrial genome

organization of in-vitro cultures derived from different explants of a single wheat variety 1
Morère-Le Paven, MC, De Buyser, J, Henry, Y, Corre, F, Hartmann, C, Rode, A: Multiple patterns of mtDNA reorganization in plants regenerated from different in vitro cultured explants of a single wheat variety 9
Morshidi, MB → Stiles, JI
Motro, U, Soller, M: Sequential sampling in determining linkage between marker loci and quantitative trait loci 658
Mugniery, D → Gebhardt, C
Mukhopadhyay, A → Pradhan, AK
Mundt, ChC → Finckh, MR
Murto, M → Xu, YS

Namkoong, G, Jonsson, A, Eriksson, G: Genetic variation in nutrient response functions 165
Nanda Kumar, PBA, Shivanna, KR: Intergeneric hybridization between *Diplotaxis siettiana* and crop brassicas for the production of alloplasmic lines 770
Natali, L, Cavallini, A, Cionini, G, Sassoli, O, Cionini, PG, Durante, M: Nuclear DNA changes within *Helianthus annuus* L.: changes within single progenies and their relationships with plant development 506
Negruk, VI → Zeinalov, OA
Nelsen, TC → Paulis, JW
Nevo, E, Nishikawa, K, Furuta, Y, Gonokami, Y, Beiles, A: Genetic polymorphisms of α- and β-amylase isozymes in wild emmer wheat, *Triticum dicoccoides*, in Israel 1029
Nishikawa, K → Nevo, E
Nodari, RO, Tsai, SM, Gilbertson, RL, Gepts, P: Towards an integrated linkage map of common bean 2. Development of an RFLP-based linkage map 513

Ohm, H → Dweikat, I
Ohsumi, C, Kojima, A, Hinata, K, Etoh, T, Hayashi, T: Interspecific hybrid between *Allium cepa* and *Allium sativum* 969
Oleo, M, Van Geyt, JPC, Jacobs, M: Enzyme and storage protein electrophoresis in varietal identification of sugar beet 379
Orellana, J → Fernández-Calvín, B
Orellana, J, Fernández-Calvín, B, Vázquez, JF, Carrillo, JM: Mapping of genes controlling seed storage-proteins and cytological markers on chromosome1R of rye 639
Ortiz, R, Vorsa, N, Bruederle, LP, Laverty, T: Occurrence of unreduced pollen in diploid blueberry species, *Vaccinium* sect. *Cyanococcus* 55
Ozias-Akins, P, Lubbers, EL, Hanna, WW, McNay, JW: Transmission of the apomictic mode of reproduction in *Pennisetum*: co-inheritance of the trait and molecular markers 632

Page Jr, RE → Hunt, GJ
Palmer, RG: Conditional lethality involving a cytoplasmic mutant and chlorophyll-deficient malate dehydrogenase mutants in soybean 389
Paran, I, Michelmore, RW: Development of reliable PCR-based markers linked to downy mildew resistance genes in lettuce 985
Parker, BB → Miura, H
Paulis, JW, Bietz, JA, Bogyo, TP, Nelsen, TC, Darrah, LL, Zuber, MS: Expression of A/B zeins in single and double maize endosperm mutants 407
Pecchioni, N, Stanca, AM, Terzi, V, Cattivelli, L: RFLP analysis of highly polymorphic loci in barley 926
Pehu, E → Xu, YS
Perl, A, Perl-Treves, R, Galili, S, Aviv, D, Shalgi, E, Malkin, S, Galun, E: Enhanced oxidative-stress defense in transgenic potato expressing tomato Cu, Zn superoxide dismutases 568
Perl-Treves, R → Perl, A
Pendás, AM → García-Vázquez, E
Penner, GA, Chong, J, Lévesque-Lemay, M, Molnar, SJ, Fedak, G: Identification of a RAPD marker linked to the oat stem rust gene *Pg3* 702
Pental, D → Pradhan, AK
Pickersgill, B → Lu, J
Pijnacker, L → Waara, S
Pijnacker, LP, Ferwerda, MA, Mattheij, WM: Microsporogenesis in three tetraploid somatic hybrids of potato and their di(ha)ploid fusion partners 269
Plaschke, J, Börner, A, Xie, DX, Koebner, RMD, Schlegel, R, Gale, MD: RFLP mapping of genes affecting plant height and growth habit in rye 1049
Ponnuswamy, KN → Srinivasan, MR
Poulsen, GB, Kahl, G, Weising, K: Abundance and polymorphism of simple repetitive DNA sequences in *Brassica napus* L. 994
Pradhan, AK, Prakash, S, Mukhopadhyay, A, Pental, D: Phylogeny of *Brassica* and allied genera based on variation in chloroplast and mitochondrial DNA patterns: molecular and taxonomic classifications are incongruous 331
Prakash, S → Pradhan, AK
Prina, AR: A mutator nuclear gene inducing a wide spectrum of cytoplasmically inherited chlorophyll deficiences in barley 245

Quatrano, RS → Millan, T
Quiros, CF → Huestis, GM

Ráb, P → Flajšhans, M
Raina, SN → Sarkar, R
Raines, CA → Devos, KM
Ramanna, MS → Jacobsen, E
Rechinger, KB, Bougri, OV, Cameron-Mills, V: Evolutionary relationship of the members of the sulphur-rich hordein family revealed by common antigenic determinants 829
Reddy, P, Appels, R: Analysis of genomic DNA segment carrying the wheat high-molecular-weight (HMW) gultenin Bx17 subunit and its use as an RFLP marker 616
Reinhout, P → Jacobsen, E
Renfrey, ACP → Leach, CR
Ritter, E → Gebhardt, C
Roberts, PA → Cap, GB
Roca, A → Alonso-Blanco, C
Rocheford, TR → Wan, Y
Rode, A → Morère-Le Paven, MC
Rodolphe, F → Gerber, S
Rogowsky, PM, Sorrels, ME, Shepherd, KW, Langridge, P: Characterisation of wheat-rye recombinants with RFLP and PCR probes 1023
Rosenow, DT → Tenkouano, A
Rousselin, P, Kraepiel, Y, Maldiney, R, Miginiac, E, Caboche, M: Characterization of three hormone mutants of *Nicotiana plumbaginifolia*: evidence for a common ABA deficiency 213
Routman, EJ → Kresovich, S
Rouwendal, GJA → Saumitou-Laprade, P
Roy, A, Frascaria, N, MacKay, J, Bousquet, J: Segregating random amplified polymorphic DNAs (RAPDs) in *Betula alleghaniensis* 173
Rus-Kortekaas, W → Vosman, B
Rutledge, JJ → Wang, CS

Salam, MA → Mackill, DJ
Salamini, F → Gebhardt, C
Salamini, F → Meyer, R
Salgo, A → Galiba, G
Sakai, F → Kamisugi, Y
Sakowicz, T: Species-specific *Eco*RI repetitive elements of at least 16 kb in length are present in *Lupinus luteus* 303
Sarkar, R, Raina, SN: Assessment of genome relationships in the genus *Oryza* L. based on seed-protein profile analysis 127
Sassoli, O → Natali, L
Saumitou-Laprade, P, Rouwendal, GJA, Cuguen, J, Krens, FA, Michaelis, G: Different CMS sources found in *Beta vulgaris* ssp *maritima*: mitochondrial variability in wild populations revealed by a rapid screening procedure 529
Schaal, BA → Kresovich, S
Schardl, CL → An, Z-q
Schertz, KF → Aldrich, PR
Schilde, L → Schweizer, G
Schlegel, R → Melz, G
Schlegel, R → Plarchke, J

Schmidt, T, Boblenz, K, Metzlaff, M, Kaemmer, D, Weising, K, Kahl, G: DNA fingerprinting in sugar beet (*Beta vulgaris*) – identification of double-haploid breeding lines 653
Schubert, I → Lucretti, S
Schüller, CME → Jahoor, A
Schupp, J → Keim, P
Schwabe, W → Steinborn, R
Schweizer, G, Borisjuk, N, Borisjuk, L, Stadler, M, Steizer, T, Schilde, L, Hemleben, V: Molecular analysis of highly repeated genome fractions in *Solanum* and their use as markers for the characterization of species and cultivars 801
Sehested, E, Mao, IL: Responses to selection on genotypic or phenotypic values in the presence of genes with major effects 403
Sethi, SC → Singh, O
Seyedsadr, M → Crossa, J
Shalgi, E → Perl, A
Shape, JW → Miura, H
Sharma, JR, Lal, RK, Mishra, HO, Sharma, S: Induced polygenic changes occurring simultaneously with major gene changes in black henbane (*Hyoscyamus niger* L.) 445
Sharma, S → Sharma, JR
Shaw, DV: Genetic correlations between vegetative growth traits and productivity at different within-season intervals for strawberries (*Fragaria* X *ananassa*) 1001
Shepherd, KW → Gupta, RB
Shepherd, KW → Rogowsky, PM
Shepherd, RK, Kinghorn, BP: Optimising multi-tier open nucleus breeding schemes 372
Shivanna, KR → Nanda Kumar, PBA
Siegel, MR → An, Z-q
Sihachakr, D → Daunay, MC
Simon-Sarkadi, L → Galiba, G
Simpson, SP: Correction: Detection of linkage between quantitative trait loci and restriction fragment length polymorphism using inbred lines 110
Singh, O, Gowda, CLL, Sethi, SC, Dasgupta, T, Kumar, J, Smithson, JB: Genetic analysis of agronomic characters in chickpea. II. Estimates of genetic variances from line × tester mating designs 1010
Singh, RJ, Kollipara, KP, Hymowitz, T: Genomic relationships among diploid wild perennial species of the genus *Glycine* Willd. subgenus *Glycine* revealed by crossability, meiotic chromosome pairing and seed protein electrophoresis 276
Skorupska, HT → Delorme, RM
Smithson, JB → Singh, O
Smulders, MJM → Vosman, B
Snape, JS → Miura, H
Soliman, KM: Genetic analyses of rDNA spacer-length variation in barley 913
Sölkner, J → Tier, B
Soller, M → Darvasi, A
Soller, M → Motro, U
Sondur, S → Stiles, JI
Sorrells, ME → Goffreda, JC
Sorrells, ME → Ma, Z-Q
Sorrels, ME → Rogowsky, PM
Specht, JE → Lee, DJ
Sperlich, D → Fleuriet, A
Srinivasan, MR, Ponnuswamy, KN: Estimation of variance components based on triallel mating design 593
Stadler, M → Schweizer, G
Stanca, MA → Pecchioni, N
Stavley, JR → Miklas, PN
Stec, A → Aldrich, PR
Steinborn, R, Schwabe, W, Weihe, A, Adolf, K, Melz, G, Börner, T: A new type of cytoplasmic male sterility in rye (*Secale cereale* L.): analysis of mitochondrial DNA 822
Stelzer, T → Schweizer, G
Stiles, JI, Lemme, C, Sondur, S, Morshidi, MB, Manshardt, R: Using randomly amplified polymorphic DNA for evaluating genetic relationships among papaya cultivars 697
Sutka, J → Galiba, G

Tanksley, SD → Goffreda, JC
Tanksley, SD → Mackill, DJ
Tanksley, SD → Ma, Z-Q
Tavoletti, S → Mariani, A
Tenkouano, A, Miller, FR, Frederiksen, RA, Rosenow, DT: Genetics of nonsenescence and charcoal rot resistance in sorghum 644
Tepfer, D → Lambert, C
Terzi, V → Pecchioni, N
Thach, NQ, Frei, U, Wenzel, G: Somatic fusion for combining virus resistances in *Solanum tuberosum* L. 863
Thiele, V → Melz, G
Thomason, IJ → Cap, GB
Thomas, RH, Barker, JSF: Quantitative genetic analysis of the body size and shape of *Drosophila buzzatii* 598
Tier, B, Sölkner, J: Analysing gametic variation with an animal model 868
Tilney-Bassett, RAE, Almouslem AB, Amoatey, HM: Complementary genes control biparental plastid inheritance in *Pelargonium* 317
Timmerman, GM, Frew, TJ, Miller, AL, Weeden, NF, Jermyn, WA: Linkage mapping of *sbm-1*, a gene conferring resistance to pea seed-borne mosaic virus, using molecular markers in *Pisum sativum* 609
Timmis, JN → Ayliffe, AM
Tinker, NA, Fortin, MG, Mather, DE: Random amplified polymorphic DNA and pedigree relationships in spring barley 976
Torres, AM, Weeden, NF, Martin, A: Linkage among isozyme, RFLP and RAPD markers in *Vicia faba* 937
Tsai, SM → Nodari, RO

Uhrig, H → Meyer, R

van der Hulst-van Arkel, MC → Aarts, HJM
van Enwijk, FA: Interpreting genotype-by-environment interaction using redundancy analysis 89
Van Geyt, JPC → Oleo, M
Van Vleck, LD: Variance of prediction error with mixed model equations when relationships are ignored 545
VanRaden, PM → Hoeschele, I
Vázquez, JF → Orellana, J
Vedel, F → Daunay, MC
Veronesi, F → Mariani, A
Villanueva, B, Kennedy, BW: Index versus tandem selection after repeated generations of selection 706
Vorsa, N → Ortiz, R
Vosman, B, Arens, P, Rus-Kortekaas, W, Smulders, MJM: Identification of highly polymorphic DNA regions in tomato 239

Waara, S, Pijnacker, L, Ferwerda, MA, Wallin, A, Eriksson, T: A cytogenetic and phenotypic characterization of somatic hybrid plants obtained after fusion of two different dihaploid clones of potato (*Solanum tuberosum* L.) 470
Wallin, A → Waara, S
Walters, TW, Earle, ED: Organellar segregation, rearrangement and recombination in protoplast fusion-derived *Brassica oleracea* calli 761
Wang, X-H, Lazzeri, PA, Lörz, H: Chromosomal variation in dividing protoplasts derived from cell suspensions of barley (*Hordeum vulgare* L.) 181
Wang, ZY → Mackill, DJ
Wang, CS, Yandell, BS, Rutledge, JJ: The dilemma of negative analysis of variance estimators of intraclass correlation 79
Wang Yibing, Hu Han: Gamete composition and chromosome variation in pollen-derived plants from octoploid *triticale* × common wheat hybrids 681
Wan, Y, Rocheford, TR, Widholm, JM: RFLP analysis to identify putative chromosomal regions involved in the anther culture response and callus formation of maize 360
Warner, RL → Kilian, A
Weeden, NF → Timmerman, GM
Weeden, NF → Torres, AM
Weihe, A → Steinborn, R
Weisemann, JM → Devine, TE
Weisemann, JM, Matthews, BF, Devine, TE: Molecular markers located proximal to the soybean cyst nematode resistance gene, *Rhg4* 136
Weising, K → Poulsen, GB
Weising, K → Schmidt, T

Wenzel, G → Tach, NQ
Widholm, JM → Wan, Y
Williams, JGK → Kresovich, S

Xie, DX → Devos, KM
Xie, DX → Plaschke, J
Xu, YS, Murto, M, Dunckley, R, Jones, MGK, Pehu, E: Production of asymmetric hybrids between *Solanum tuberosum* and irradiated *S. brevidens* 729
Xu, YS, Jones, MGK, Karp, A, Pehu, E: Analysis of the mitochondrial DNA of the somatic hybrids of *Solanum brevidens* and *S. tuberosum* using non-radioactive digoxigenin-labelled DNA probes 1017

Yandell, BS → Wang, CS
van Euwijk, FA: Interpreting genotype-by-environment interaction using redundancy analysis 89
Yano, Y → Konishi, T

Zadworny, D → Fotouhi, N
Zavala-Garcia, F, Bramel-Cox, PJ, Eastin, JD: Potential gain from selection for yield stability in two grain sorghum populations 112
Zawistowski, J → Masojć, P
Zeinalov, OA, Negruk, VI: Intraspecific heterogeneity of the *Vicia faba* mitochondrial genome: evidence for multiregional rearrangements in the mitochondrial chromosome associated with *coxII-orf192* chimeric gene formation 341
Zuber, MS → Paulis, JW

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

H. Aarts (Beekbergen, Netherlands)
H. Abplanalp (Davis, USA)
W. Atchley (Raleigh, USA)
G. Bates (Tallahasee, USA)
B. Beavis (Johnston, USA)
R. Bernardo (Champaign, USA)
T. Blake (Bozeman, USA)
U. Bonas (Berlin, Germany)
A. Boulliou (Versailles, France)
D. H. Byrne (College Station, TX, USA)
P. Bramel-Cox (Manhattan, USA)
D. S. Brar (Los Banos, Philippines)
S. Brown (Stanton, USA)
C. D. Chase (Gainsville, USA)
J. J. Colleau (Lincoln, USA)
D. Cowley (Raleigh, USA)
J. L. Crossa (Mixico City, Mexico)
T. S. Cox (Manhattan, USA)
M. Delseny (Pepignan, France)
J. Doyle (Ithaca, USA)
J. Dudley (Urbana, USA)
J. Dvorak (Davis, USA)
T. Emigh (Raleigh, USA)
K. M. Eskridge (Lincoln, USA)
B. Foroughi-Wehr (Grünbach, Germany)
M. Gale (Norwich, UK)
G. Galili (Rehovot, Israel)
H. G. Gauch (Thaca, USA)
C. Gebhardt (Köln, Germany)
P. Gepts (Davis, USA)
F. Giesbrecht (Raleigh, USA)
M. Goddard (Melbourne, Australia)
A. Graner (Grünbach, Germany)
J. Growth (St. Paul, USA)
J. Harding (Davis, USA)
T. Helentjaris (Tucson, USA)
V. Hemleben (Tübingen, Germany)
R. G. Herrmann (München, Germany)
I. Hoeschele (Blacksburg, USA)
D. L. Hoffmann (Aberdeen, USA)
B. Johnson (Lincoln, USA)
B. O. Juliana (Los Banos, Philippines)
G. Kahl (Frankfurt, Germany)
I. Kanevsky (New Brunswick, USA)
P. Keim (Flagstaff, USA)
G. B. Kiss (Szeged, Hungary)
S. K. Knapp (Corvallis, USA)
K. D. Kofoid (Hayes, USA)
I. Kormanitsky (Kiev, Ukraine)
U. Kuhnlein (St. Anne de Bellevue, Canada)
L. Laflin (Manhattan, USA)
K. Lamkey (Ames, USA)
N. Lapitan (Fort Collins, USA)
P. O. Lewis (Raleigh, USA)
V. Lind (Grünbach, Germany)
L. S. Luckinbill (Detroit, USA)
J. M. Martin (Bozeman, USA)
R. Martin (München, Germany)
S. K. St. Martin (Columbus, USA)
A. L. McKendry (Columbia, USA)
S. McKenzie (Lafayette, USA)
S. J. Molnar (Ottawa, Canada)
F. J. Muehlbauer (Pullman, USA)
J. Müller (Münster, Germany)
C. C. Mundt (Corvallis, USA)
J. P. Murphy (Raleigh, USA)
G. Namkoong (Raleigh, USA)
R. L. Nelson (Urbana, USA)
J. Nienhuis (Madison, USA)
H. Nybom (St. Louis, USA)
W. E. Nyquist (West Lafayette, USA)
L. S. O'Donoughe (Ithaca, USA)
P. Ozias-Akins (Tifton, USA)
T. Osborn (Madison, USA)
D. M. Peterrson (Madison, USA)
N. Piven (Kiev, Ukraine)
N. Polans (Johnston, USA)
J. Pollack (Ithaca, USA)
K. J. Puite (Wageningen, Netherlands)
F. Quetier (Versailles, France)
A. Rafalsky (Wilmington, USA)
P. J. Rayapati (Ames, USA)
D. Reznick (Riverside, USA)
H. W. Rines (St. Paul, USA)
G. W. Schaeffer (Beltville, USA)
L. R. Schaeffer (Guelph, Canada)
M. D. Schmidt (Wooster, USA)
L. Sernyk (Madison, USA)
R. Shoemaker (Ames, USA)
K. Skryabin (Moscow, Russia)
W. Slanger (Fargo, USA)
C. Smith (Lincoln, USA)
O. S. Smith (Johnston, USA)
R. L. Smith (Gainsville, USA)
S. E. Smith (Tucson, USA)
M. Soller (Jerusalem, Israel)
R. J. Soreng (Ithaca, USA)
M. E. Sorrells (Ithaca, USA)
G. Spangenberg (Zürich, Switzerland)
R. E. Stucker (St. Paul, USA)
C. E. Vallejos (Ames, USA)
I. K. Vasil (Gainsville, USA)
H. Walther (Grünbach, Germany)
C. F. Wehrhahn (Vancouver, Canada)
B. Weir (Raleigh, USA)
J. Wendel (Ames, USA)
D. J. Werner (Raleigh, USA)
D. von Wettstein (Copenhagen, Danmark)
G. Wricke (Hannover, Germany)
P. Zabel (Wageningen, Netherlands)
F. J. Zeller (Freising, Germany)

as well as the assistance of Mrs. Kathy Seaman and Mrs. Ritta Wehrer at the editorial office.